



Choose DEVELOP

Every industry faces different challenges. Every business has different needs. Yours is no exception. At Develop we are focused on meeting your specific document production and management demands — no matter whether you're a start-up, small business or mid-sized company. We do this by providing multifunctional office devices that can be customised to your specific requirements. Discover the benefits you enjoy with Develop.






ineo 227

- > Black & white A3 multifunctional
- > Up to 22 ppm

Datasheet ineo 227



Finishing functionalities



























Corner stapling

stapling

Two-point

Two-hole punching

Four-hole punching

Duplex

mixplex/ mixmedia

Combined

Half-fold

Sheet insertion, report

Letterfold

Booklet

Offset sorting

Description Datasheet ineo 227

ineo 227	A3 multifunctional with 22 ppm b/w. Standard ineo print controller with PCL 6 (PCL 5 + XL 3.0), PostScript 3, PDF 1.7, XPS and OOXML support. Paper capacity of 500 + 500 sheets and 100-sheet manual bypass. Media from A6 to A3 and 60–220 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.
DF-628 Document feeder	Reversing automatic document feeder,
	capacity 100 originals
OC-514 Original cover	Cover instead of ADF
PC-113 1 x Universal tray	A5-A3, 500 sheets, 60-220 g/m ²
PC-213 2 x Universal tray	A5-A3, 2 x 500 sheets, 60-220 g/m ²
PC-413 Large capacity tray	A4, 2,500 sheets, 60–220 g/m²
DK-513 Copier desk	Provides storage space for print media and other
	materials
MK-602 Attachment kit	For FS-533 installation
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit	2/4 hole punching, autoswitching
for FS-533	
FS-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output
FS-534SD Booklet finisher	50-sheets staple finisher, 20-sheets booklet finisher,
	2,300 sheets max. output
RU-514 Relay unit for FS-534	For FS-534 installation
PK-520 Punch kit	2/4 hole punching, autoswitching
for FS-534/SD	
JS-506 Job separator	Separation for fax output etc.
KP-101 10-key pad	For use instead of touchscreen

WT-506 Working table	Authentication device placement
FK-513 Fax board	G3 fax, digital fax functionality
KH-102 Keyboard holder	To place USB keyboard
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit (available	USB keyboard connection, Bluetooth
from Sept. 2015 onwards)	•
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
AU-102	Finger vein scanner
Biometric authentication	
LK-102v3	PDF/A, PDF encryption, digital signature
PDF enhancements	
LK-105v4	Searchable PDF and PPTX
OCR text recognition	
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2	Generates various file formats incl. DOCX, XLSX
Document converter pack	and PDF/A
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-115v2	Trusted Platform Module for protection of data
TPM activation	encryption and decryption
UK-211 Upgrade kit	2 GB memory extension for upgrades
UK-212 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector
MK-747 Attachment kit	Installation kit for CU-101
CU-101 Air cleaning unit	Improves indoor air quality by reducing emissions

Technical specifications

SYSTEM SPECIFICATIONS

Interface 10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n (optional) Network protocols TCP/IP (IPv4/IPv6), FTP, SMB; SMTP, WebDAV Frame types Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP Automatic document feeder Up to 100 originals; A6-A3; 35-128 g/m² RADF optional available Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight 60-220 g/m² Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling Max.: 50 sheets Letter fold capacity Max.: 1,000 sheets Letter fold capacity Max.: 30 sheets Letter fold capacity Max.: 30 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets	System memory	2,048 MB (standard)
USB 2.0; Wi-Fi 802.11b/g/n (optional) Network protocols TCP/IP (IPv4/IPv6), FTP, SMB; SMTP, WebDAV Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP Automatic document feeder Up to 100 originals; A6–A3; 35–128 g/m² RADF optional available Printable paper size A5–A3; A65; thick paper X/Y size input range: width: 90–297 mm; length: 139.7–431.8 mm Printable paper weight 60–220 g/m² Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5–A4; 60–220 g/m² Tray 2 500 sheets; A5–A4; 60–220 g/m² Tray 3 (optional) 500 sheets; A5–A3; 60–220 g/m² Tray 4 (optional) 2 x 500 sheets; A5–A3; 60–220 g/m² Tray 4 (optional) 2 x 500 sheets; A5–A3; 60–220 g/m² Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity (with finisher) Output capacity (with finisher) Output capacity (without finisher) Max.: 250 sheets 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold capacity Max.: 30 sheets Letter fold capacity Max.: 20 sheets or	System hard disk	250 GB (standard)
TCP/IP (IPv4/IPv6), FTP, SMB; SMTP, WebDAV	Interface	10-Base-T/100-Base-T/1,000-Base-T Ethernet;
Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP Automatic document feeder Appropriational available Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight B0-220 g/m² Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A6-A3; 60-220 g/m² Large capacity tray (optional) 2 x 500 sheets; A6-A3; co-220 g/m² Manual bypass 100 sheets; A6-A3; co-20 g/m² Automatic duplexing A5-A3; 60-209 g/m² Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets Max.: 250 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets Letter fold capacity Max.: 20 sheets or		USB 2.0; Wi-Fi 802.11b/g/n (optional)
Ethernet SNAP Automatic document feeder Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight 60-220 g/m² Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets Letter fold capacity Max.: 20 sheets or	Network protocols	TCP/IP (IPv4/IPv6), FTP, SMB; SMTP, WebDAV
Automatic document feeder RADF optional available Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight 60-220 g/m² Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets Max.: 250 sheets Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets Max.: 30 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets Max.: 30 sheets Letter fold capacity Max.: 30 sheets Max.: 30 sheets Letter fold capacity Max.: 20 sheets or	Frame types	Ethernet 802.2; Ethernet 802.3; Ethernet II;
RADF optional available Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight 60-220 g/m² Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Large capacity tray (optional) 2,500 sheets; A4: 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or		Ethernet SNAP
Printable paper size A5-A3; A6S; thick paper X/Y size input range: width: 90-297 mm; length: 139.7-431.8 mm Printable paper weight 60-220 g/m² Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets Max.: 20 sheets or	Automatic document feeder	Up to 100 originals; A6–A3; 35–128 g/m²
width: 90–297 mm; length: 139.7–431.8 mm Printable paper weight 60–220 g/m² Paper input capacity Standard: 1,100 sheets		RADF optional available
Printable paper weight Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A4: 60-220 g/m² Large capacity tray (optional) 2,500 sheets; A4: 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or	Printable paper size	A5–A3; A6S; thick paper X/Y size input range:
Paper input capacity Standard: 1,100 sheets Max.: 3,600 sheets Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Large capacity tray (optional) 2,500 sheets; A4; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Manual bypass 45-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or		width: 90–297 mm; length: 139.7–431.8 mm
Max.: 3,600 sheets Tray 1 500 sheets; A5–A4; 60–220 g/m² Tray 2 500 sheets; A5–A3; 60–220 g/m² Tray 3 (optional) 500 sheets; A5–A3; 60–220 g/m² Tray 4 (optional) 2 x 500 sheets; A5–A3; 60–220 g/m² Large capacity tray (optional) 2,500 sheets; A4; 60–220 g/m² Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Printable paper weight	60–220 g/m²
Tray 1 500 sheets; A5-A4; 60-220 g/m² Tray 2 500 sheets; A5-A3; 60-220 g/m² Tray 3 (optional) 500 sheets; A5-A3; 60-220 g/m² Tray 4 (optional) 2 x 500 sheets; A5-A3; 60-220 g/m² Large capacity tray (optional) 2,500 sheets; A4; 60-220 g/m² Manual bypass 100 sheets; A6-A3; custom sizes; 60-220 g/m² Automatic duplexing A5-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Max.: 250 sheets Output capacity Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Paper input capacity	Standard: 1,100 sheets
Tray 2 500 sheets; A5–A3; 60–220 g/m² Tray 3 (optional) 500 sheets; A5–A3; 60–220 g/m² Tray 4 (optional) 2 x 500 sheets; A4; 60–220 g/m² Large capacity tray (optional) 2,500 sheets; A4; 60–220 g/m² Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or		Max.: 3,600 sheets
Tray 3 (optional) 500 sheets; A5–A3; 60–220 g/m² Tray 4 (optional) 2 x 500 sheets; A4; 60–220 g/m² Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or	Tray 1	500 sheets; A5–A4; 60–220 g/m²
Tray 4 (optional) 2 x 500 sheets; A5–A3; 60–220 g/m² Large capacity tray (optional) 2,500 sheets; A4; 60–220 g/m² Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or	Tray 2	500 sheets; A5–A3; 60–220 g/m²
Large capacity tray (optional) Annual bypass 100 sheets; A6; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 20 sheets or	Tray 3 (optional)	500 sheets; A5–A3; 60–220 g/m²
Manual bypass 100 sheets; A6–A3; custom sizes; 60–220 g/m² Automatic duplexing A5–A3; 60–209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity Max.: 3,300 sheets (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Tray 4 (optional)	2 x 500 sheets; A5–A3; 60–220 g/m²
Automatic duplexing A5-A3; 60-209 g/m² Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Large capacity tray (optional)	2,500 sheets; A4; 60–220 g/m²
Finishing modes (optional) Offset; group; sort; staple; punch; centre-fold; letter fold; booklet Output capacity (with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Manual bypass	100 sheets; A6–A3; custom sizes; 60–220 g/m²
letter fold; booklet Output capacity (with finisher) Output capacity (without finisher) Stapling Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Automatic duplexing	A5-A3; 60-209 g/m ²
Output capacity (with finisher) Output capacity (without finisher) Stapling Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Finishing modes (optional)	Offset; group; sort; staple; punch; centre-fold;
(with finisher) Output capacity Max.: 250 sheets (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or		letter fold; booklet
Output capacity (without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Output capacity	Max.: 3,300 sheets
(without finisher) Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	(with finisher)	
Stapling Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or		Max.: 250 sheets
48 sheets + 2 cover sheets (up to 209 g/m²) Stapling output capacity Max.: 1,000 sheets Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	· · · · · · · · · · · · · · · · · · ·	
Stapling output capacity Letter fold Letter fold capacity Max.: 30 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or	Stapling	
Letter fold Up to 3 sheets Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or		
Letter fold capacity Max.: 30 sheets (tray); unlimited Booklet Max.: 20 sheets or		Max.: 1,000 sheets
Booklet Max.: 20 sheets or		<u> </u>
		, ,,,
19 sheets + 1 cover sheet (up to 209 g/m²)	Booklet	
		19 sheets + 1 cover sheet (up to 209 g/m²)
	Booklet output capacity	
13-1	Copy/print volume (monthly)	
		Max. ⁽¹⁾ : 19,000 pages
May (1), 10,000 pages		Max. 13,000 hages

23,000 pages
30,000 pages/600,000 pages (Drum/Developer)
220–240 V / 50/60 Hz; less than 1.5 kW (system)
585 x 660 x 735 mm
standard configuration of main body)
Approx. 56.5 kg
3

Copier specifications

Copying process	Electrostatic laser copy; indirect
Toner system	HD polymerised toner
Copy/print speed A4	Up to 22 ppm
Copy/print speed A3	Up to 14 ppm
Autoduplex speed A4	Up to 22 ppm
1st copy out time	5.3 sec.
Warm-up time	Approx. 20 sec. ⁽²⁾
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	A5-A3
Magnification	25–400% in 0.1% steps; auto-zooming
Copy functions	Chapter; cover and page insertion; proof copy
	(print and screen); adjustment test print; digital art
	functions; job setting memory; poster mode; image
	repeat; overlay (optional); stamping
	· -

- ¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed.
- $^{\rm 2}~$ Warm up time may vary depending on the operating environment and usage

Technical specifications

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (PCL 5 + XL 3.0); PostScript 3 (CPSI 3016); XPS
Operating systems	Windows Vista (32/64); Windows 7 (32/64);
	Windows 8 (32/64); Windows 8.1 (32/64);
	Windows 10 (32/64);
	Windows Server 2008/2008 R2 (32/64);
	Windows Server 2012/2012 R2 (64)
	Macintosh OS X 10.x; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of PCL; PS; TIFF; XPS; PDF (v1.7);
	encrypted PDF files and OOXML (DOCX; XLSX; PPTX);
	mixmedia and mixplex; "Easy Set" job programming
	overlay; watermark; carbon copy print
Mobile Printing	AirPrint (iOS); Mopria (Android); Google Cloud Print
	(optional); WiFi Direct (optional); ineoPRINT (iOS &
	Android); NFC Authentication and Pairing (Android)

SCANNER SPECIFICATIONS

Scan speed (with optional	Up to 45 ipm
document feeder) (mono/colo	ur)
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB
	(Scan-to-Home); Scan-to-FTP; Scan-to-Box;
	Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS;
	Network TWAIN scan
File formats	TIFF; PDF; Compact PDF; JPEG; XPS; Compact XPS;
	DOCX; XLSX; searchable PDF; PDF/A; linerarized PDF
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF; up to 400 job
	programs; Realtime scan preview

FAX SPECIFICATIONS

G3
Analogue; i-Fax; Colour i-Fax (RFC3949-C); IP-Fax
Max.: 600 x 600 dpi (ultra-fine)
MH; MR; MMR; JBIG
Up to 33.6 Kbps
2,100 (single + group)
Polling; time shift; PC-Fax; receipt to confidential
box; Receipt to e-mail/FTP/SMB; up to 400 job
programs

USER BOX SPECIFICATIONS

Max. storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication);
	Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt;
	Fax polling
User box functionality	Reprint; Combination; Download;
	Sending (e-mail/FTP/SMB and fax); Copy box to box
SYSTEM FEATURES	
Security	ISO15408/IEEE 2600.2 compliant (in evaluation);
	IP filtering and port blocking; SSL2; SSL3 and TSL1.0
	network communication; IPsec support; IEEE 802.13
	support; user authentication; Authentication log;
	secure print; Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 256); Memory data
	auto deletion; Confidential fax receipt; Print user
	data encryption
Accounting	Up to 1,000 user accounts; Active Directory support
	(user name + password + e-mail + smb folder);
	User function access definition; Biometric
	authentication (finger vein scanner) optional;
	ID card authentication (ID card reader) optional
Software	store+find (opt.), convert+share (opt.),
	Personal Applications (opt.), Enterprise Suite (opt.),
	Data Administrator (user accounts & cost centres),
	Card solutions (opt.), Unix/Linux support,
	11.7

SAP support, EveryonePrint (opt.), PCounter (opt.)





















Konica Minolta Business Solutions Europe GmbH



Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu











For more information regarding the ineo 227 please refer to the respective product homepage

All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m² unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply $% \left\{ \left(1\right) \right\} =\left\{ \left(1\right)$ to paper of an A4 format weighing 80 g/m² unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to $print.\ Konica\ Minolta\ reserves\ the\ right\ to\ make\ technical\ alterations.$

 ${\tt DEVELOP}\ and\ ineo\ are\ registered\ trademarks/product\ titles\ owned\ by\ Konica\ Minolta$

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee $for these \ products.$

April 2016



Wouldn't it be great to enjoy optimal ease of use?

We offer you solutions that adapt to your daily working habits and save a lot of time in routine office tasks like printing, scanning or copying. You can customise the individual screen features, specific functions and workflows to be activated via your ineo device's display. Frequently used functions can be placed on your start screen while functions you don't use can simply be removed.

Ever dreamed of using a personally customised device?

You can now make your ineo device a true part of your business. Start with your own company logo, display a Flash video when the display is idle, customise your user interface on the screen, and have your business-relevant apps accessed straight from the operating panel.

Useful apps, remote app updates, connectors to cloud solutions such as Google Drive or Google Mail, paper templates – just about everything you need to improve your business processes is available from DEVELOR'S distore.

Want to enjoy more mobility at work?

More and more businesses are transforming their offices into mobile workplaces. Employees enjoy the flexibility of working where they want, yet still need to stay connected. Develop makes printing from a mobile device even easier and more intuitive than from a PC. You don't even need to download external apps or install a specific printer driver — our mobile features integrate seamlessly with innovative mobile technologies to let you print from your tablet or smartphone with just one click. Our security functionality ensures your data are safe, and on most ineo devices, access to safety features like secure print, user authentication and account tracking comes with the free app ineoPRINT.















Wouldn't you like to optimise your workflow integration?

It's easier than you might think. Our devices can easily be integrated into any existing network and help to optimise document workflows — with integrated device functionalities or professional solutions working hand in hand with our systems, e.g. the Develop apps convert+share and store+find. Besides, Develop offers remote monitoring of your printer fleet and helps reduce inefficiency in fleet management. Why not let our know-how optimise your workflow processes!

Still worrying about data security?

In today's business environment company data have to cross a lot of different data highways, and much of your corporate data runs through your multifunctional system(s). Develop ensures your data stay safe and no document ends up in the wrong hands. Thanks to the Common Criteria/ISO 15408 IEEE 2600.1 certification, access control, data security and network encryption you can be sure your data stay where they belong — in the right hands!

www.dstore.develop.eu

DEVELOP's software solutions replace time-consuming manual operations with automated processes:

convert+share

Scan a document in various file formats, then send the file straight to whatever destination you want, e.g. Google Drive, Evernote or Microsoft SharePoint.


store+find

Locate any document easily and quickly via a keyword or full-text search facility. Store documents in a very wide range of file formats. And simply add electronic documents to store+find, or import them direct from MS Office.

ineo connector apps

Three custom-developed apps connect ineo office systems to the most popular cloud services Google Apps™, Evernote™ and Microsoft SharePoint™. These apps support the mobility and flexibility demanded in modern-day offices.











Wouldn't great design liven up your office?

DEVELOP systems not only make an impression with their high quality and reliability, but also their cool design. There is bound to be high spirits in your office! Whether you choose one of the fashionable designs that are ready to make your office even more attractive, or if you create your own ineo decor that perfectly matches to your environment. Contact your DEVELOP partner and discover the ineo decors.



Know the benefits green efficiency brings your business?

Our planet's survival depends on how we care for the environment today. As a company we are proud of our ISO 14001 environmental certification and production facilities that work to the zero-waste principle. But even more importantly for you, all our office devices are environment-friendly, e.g. with recyclable components and energy-saving features to reduce power consumption. ENERGY STAR and Blue Angel awards are proof of their environmental friendliness. And that means a better carbon footprint for your business and money saved through lower electricity bills.

Keen to cut costs?

Ease of use, customisation, green efficiency, optimised document processes: what do all these benefits have in common? They save your staff time and effort, and your business money. To cut your document production and management costs all you have to do is invest in a Develop device.

> ENERGY STAR

As part of an energy-saving programme for office equipment, products that meet specific standards can be registered as ENERGY STAR devices. In particular, the devices power down when not in use to save electricity. All new Develop devices are ENERGY STAR-qualified.



> Blue Angel

Since 1978, the Blue Angel seal has been awarded to environment-friendly products. Blue Angel evaluates a product's energy consumption, noise emissions and recyclability. Since energy consumption is directly related to CO2 emissions, a crucial greenhouse gas, Blue Angel devices are helping to reduce CO2 emissions. DEVELOP has continued to receive certification for new products by clearing the certification bar each time it has been raised.

